

FORMULARY EXCEPTION POLICY

POLICY: Opioids Transmucosal – Abstral[®] (fentanyl sublingual tablet – Novartis/ProStrakan)

DATE REVISED: 04/11/2019

Verification of Therapies Required: Previous trials of other fentanyl transmucosal therapies are required to be verified by a clinician in the ESI Coverage Review Department when noted in the criteria as [verification of therapies required].

Approval Duration: All approvals are provided for the duration noted below.

CRITERIA

- 1. **Breakthrough Pain in Patients with Cancer:** Approve for 1 year if the patient meets the following criteria (**A**, **B**, <u>and</u> **C**):
 - **A)** Patient meets ONE of the following conditions (i <u>or</u> ii):
 - **i.** Patient is unable to swallow, has dysphagia, esophagitis, mucositis, or uncontrollable nausea/vomiting (In the professional opinion of specialist physicians reviewing the data, we have adopted this criterion); OR
 - **ii.** Patient is unable to take two other short-acting narcotics (e.g., oxycodone, morphine sulfate, hydromorphone, etc.) secondary to allergy or severe adverse events (In the professional opinion of specialist physicians reviewing the data, we have adopted this criterion); AND
 - **B)** Patient is on or will be on an oral or transdermal long-acting narcotic (e.g., Duragesic, OxyContin, morphine extended-release), or the patient is on intravenous, subcutaneous, or spinal (intrathecal, epidural) narcotics (e.g., morphine sulfate, hydromorphone, fentanyl citrate).
 - C) Patient meets ONE of the following conditions (i or ii):
 - i. The patient has tried two of the following, if two are formulary (or one if only one is formulary or none if none are formulary): fentanyl citrate oral transmucosal lozenge (Actiq, generics), Fentora, Subsys, or Lazanda [verification of therapies required]; OR
 - ii. In patients who cannot tolerate the sugar content of fentanyl citrate oral transmucosal lozenge (Actiq, generics) [e.g., patients who are glucose intolerant, diabetic, at high risk of dental caries], the patient has tried two of the following, if two are formulary (or one if only one is formulary or none if none are formulary): Fentora, Subsys, or Lazanda [verification of therapies required.

HISTORY

Type of Revision	Summary of Changes*	Date
New Policy	1	03/02/2018
Annual revision	No changes to criteria.	04/11/2019